

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

AC 9070
452
Reserve

UNITED STATES DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
MARKET NEWS SECTION - COTTON DIVISION
BOX 8074 - CROSSTOWN STATION - MEMPHIS 4, TENNESSEE

SEPTEMBER 1960

QUALITY OF COTTON IN THE 1960 CARRY-OVER

Upland cotton in the United States carry-over on August 1, 1960 contained large proportions of Middling and higher grades of cotton, according to the Department of Agriculture. Strict Middling and higher grades accounted for the highest proportion of total stocks since 1948, and Middling was proportionately the largest since 1955. In terms of "grade index", cotton in the 1960 carry-over was well above the total upland supply for the 1959-60 season. This is the second successive year in which the grade index for end-season stocks exceeded that of the season's supply. Stocks of the lower grades of cotton on August 1, 1960 were down 48 percent from a year earlier, compared with a decrease of 15 percent in the total carry-over. Two-thirds of the August 1, 1960 carry-over was in the lengths, 1-1/32" through 1-3/32", the largest proportion of these lengths in end-season stocks since 1949. Cotton stapling 1-1/16" accounted for 38 percent of the upland cotton in end-season stocks. The average staple length of the 1960 carry-over was the longest since 1951. Stocks of American-Egyptian cotton averaged somewhat lower in grade and shorter in staple than a year earlier. The total carry-over of all kinds of cotton in the United States on August 1, 1960 was 7,559,000 bales against 8,881,000 bales on August 1, 1959.

Estimates of the grade and staple distribution of the cotton in the 1960 carry-over as presented in this report are preliminary and are based on resampling and classification of a representative proportion of the cotton stored in mills and in public storage, including CCC stocks. For informational purposes, Tables 6 and 7 of this report contain quality data for CCC stocks as of July 31, 1960 based on stock records or the classification of this cotton as it originally entered the government price support programs.

STATISTICAL TABLES

Table	Page
1. Carry-over of upland cotton by grade and staple groups, August 1, 1958-1960.....	2
2. Grade index, average staple of upland cotton, August 1, 1949-1960.....	2
3. Grade and staple of upland cotton in the carry-over, August 1, 1960.....	4
4. Grade and staple of upland cotton in consuming establishments, August 1, 1960.....	5
5. Grade and staple of upland cotton in public storage and "elsewhere", August 1, 1960....	6
6. Grade and staple of CCC stocks of upland cotton, 1958 and earlier crops, as of July 31, 1960.....	7
7. Grade and staple of 1959-60 upland cotton acquired by CCC on July 31, 1960.....	8
8. Grade and staple of upland cotton in the supply, 1959-60.....	9
9. Staple of foreign growth cotton in the carry-over, August 1, 1960.....	10
10. Grade and staple of American-Egyptian cotton in the carry-over, August 1, 1960.....	11

FEB 25 1971
& KPH
U.S. DEPT. OF AGRICULTURE
LIBRARY

Grade distribution. The carry-over of upland cotton on August 1, 1960 contained (1) the largest proportion of Strict Middling and higher grades of any carry-over in twelve years, (2) the largest proportion of Middling (Middling Plus and Middling combined) in five years, (3) a somewhat smaller proportion of Strict Low Middling and lower White grades than a year earlier, (4) about 43 percent less Light Spotted cotton than a year ago, and (5) less than a third as much Spotted and other Colored cotton as a year earlier.

Staple distribution. The carry-over of upland cotton on August 1, 1960 contained (1) the smallest proportion of the lengths, 29/32" and shorter, for any carry-over on record, (2) the smallest proportion of the lengths, 15/16" through 1", in end-season stocks since 1956, (3) the largest proportion of the lengths, 1-1/32" through 1-3/32", in eleven years, with these lengths accounting for two-thirds of the total carry-over, and (4) the largest proportion of the longer lengths, 1-1/8" and longer, since the 1956 carry-over.

Table 1. Carry-over of upland cotton by specified grades and staples,
August 1, 1958 - August 1, 1960

Grade and staple	1958		1959		1960 ^{1/}	
	Quantity	Percentage	Quantity	Percentage	Quantity	Percentage
	1,000 bales	Percent	1,000 bales	Percent	1,000 bales	Percent
White:						
Strict Middling & higher	586,978	6.8	933,835	10.7	1,331,981	18.0
Middling Plus	95,010	1.1	186,094	2.1	184,732	2.5
Middling	1,116,624	13.0	2,572,264	29.6	2,815,165	38.1
Strict Low Middling Plus	195,100	2.3	221,452	2.5	238,933	3.2
Strict Low Middling	1,023,837	11.9	1,369,018	15.7	986,239	13.3
Low Middling Plus	82,133	1.0	88,153	1.0	103,598	1.4
Low Middling & lower	680,991	7.9	333,306	3.8	275,391	3.8
Light Spotted ^{2/}	2,744,324	32.0	1,972,177	22.6	1,126,183	15.2
Spotted ^{2/}	1,213,627	14.1	658,701	7.6	159,714	2.2
Other Colored ^{3/}	853,419	9.9	383,490	4.4	170,577	2.3
All Grades	8,592,043	100.0	8,718,490	100.0	7,392,513	100.0
13/16" & shorter	123,859	1.4	49,921	0.6	6,203	0.1
7/8"	608,001	7.1	511,559	5.9	53,018	.7
29/32"	822,842	9.6	979,151	11.2	132,226	1.8
15/16"	1,212,440	14.1	1,438,464	16.5	640,933	8.7
31/32"	944,663	11.0	742,265	8.5	598,432	8.1
1"	1,373,636	16.0	876,898	10.1	732,880	9.9
1-1/32"	1,713,406	19.8	1,535,498	17.6	1,546,173	20.9
1-1/16"	1,281,170	14.9	1,971,099	22.6	2,829,369	38.3
1-3/32"	307,313	3.6	375,526	4.3	589,523	8.0
1-1/8"	133,914	1.6	165,315	1.9	176,563	2.4
1-5/32"	43,233	.5	58,655	.7	63,709	.9
1-3/16"	14,191	.2	10,478	.1	17,602	.2
1-7/32"	5,909	.1	1,815	*	3,055	*
1-1/4" & longer	7,466	.1	1,846	*	2,827	*
All Staples	8,592,043	100.0	8,718,490	100.0	7,392,513	100.0

^{1/} Preliminary.

^{2/} Includes all grades.

^{3/} Includes Below Grade.

Grade Index, Average Staple

The grade index of carry-over cotton rose for the second successive year and was 97.9 (Middling White equals 100) for the upland cotton in the 1960 carry-over. A year earlier, the grade index was 95.0 and two years ago it was 91.1. The average staple of upland cotton in the 1960 carry-over was 33.0 thirty-seconds inches. This was the longest average staple of any carry-over since 1951 and compares with the average of 31.9 for the 1959 carry-over and 31.7 two years ago.

Table 2. Grade index, average staple of upland cotton, August 1, 1949-1960

Year	Grade index (Middling White=100)			Average staple (Thirty-seconds inches)		
	Mill Stocks	Public Storage Stocks	Total Carry-over	Mill Stocks	Public Storage Stocks	Total Carry-over
1949	95.3	96.0	95.9	33.4	33.3	33.3
1950	94.9	96.3	96.1	33.1	32.9	33.0
1951	96.3	92.2	95.8	33.7	33.2	33.5
1952	93.5	87.6	89.8	33.2	31.4	32.1
1953	96.3	94.6	95.0	33.3	31.7	32.1
1954	95.1	95.5	95.4	33.2	32.2	32.3
1955	95.4	95.9	95.9	33.2	32.1	32.2
1956	95.5	93.9	94.0	33.2	32.2	32.2
1957	95.7	91.5	91.9	33.3	31.8	32.0
1958	95.1	90.2	91.1	33.3	31.3	31.7
1959	92.8	95.3	95.0	32.8	31.7	31.9
1960	95.8	98.4	97.9	33.5	32.9	33.0

Untenderable Cotton

Cotton untenderable in settlement of futures in the 1960 carry-over totaled about 1,081,000 bales, equivalent to 15 percent of the total. This figure is based on cotton untenderable with respect to grade and staple only, and does not reflect the quantity of cotton reduced for cause nor cotton below minimum micronaire requirements.

Total Carry-over

The United States carry-over of all kinds of cotton totaled 7,559,000 bales on August 1, 1960, according to the Bureau of the Census. This compares with 8,881,000 bales a year earlier and 8,737,000 two years ago. Stocks of upland cotton in the 1960 carry-over totaled 7,392,000 bales, American-Egyptian stocks were about 133,000 bales, and foreign growths totaled about 34,000 bales.

September 6, 1960

Table 3. Grade and staple of upland cotton in the carry-over, August 1, 1960

Grade	13/16" & shorter	7/8"	29/32"	15/16"	31/32"	1"	1-1/32"	1-1/16"	1-3/32"	1-1/8"	1-5/32"	1-3/16"	1-7/32"	1-1/4" & longer	All staples
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White															
G.M.	-	121	414	1,384	914	1,898	4,012	9,049	6,150	7,280	5,877	2,342	525	29	39,995
S.M.	219	1,460	8,471	54,587	64,299	91,410	244,273	571,132	141,290	69,985	33,264	9,436	1,232	928	1,291,986
M.+	36	71	751	4,794	13,237	11,609	22,510	80,807	31,865	10,965	5,351	932	384	1,420	184,732
M.	297	4,084	22,036	133,241	163,912	194,797	578,483	1,371,614	271,652	56,887	13,298	3,538	876	450	2,815,165
S.L.M.+	36	116	867	9,243	13,196	16,640	47,923	114,504	29,340	5,906	1,012	150	-	-	238,933
S.L.M.	240	1,777	11,658	68,951	70,686	96,570	266,561	387,636	69,023	11,245	1,602	290	-	-	986,239
L.M.+	-	183	1,399	11,101	5,809	11,242	29,562	38,459	4,664	1,010	129	40	-	-	103,598
L.M.	240	1,054	1,734	12,003	12,016	45,414	82,207	64,520	6,104	667	65	69	-	-	226,093
S.G.O.+	-	192	135	597	851	2,031	2,698	1,793	518	-	-	-	-	-	8,815
S.G.O.	48	75	174	2,104	5,449	13,309	10,249	2,854	290	104	-	-	-	-	34,656
G.O.+	-	-	36	108	29	111	256	30	-	-	-	-	-	-	570
G.O.	39	156	191	752	624	2,230	991	238	36	-	-	-	-	-	5,257
Light Spotted															
G.M.	36	78	1,439	3,577	3,972	3,443	2,167	2,441	380	357	184	59	-	-	18,133
S.M.	822	4,843	20,629	88,619	80,420	65,786	78,455	62,991	10,551	6,321	2,025	542	-	-	422,004
M.	767	7,133	29,114	123,969	84,809	64,276	76,029	67,419	11,445	3,592	668	100	38	-	469,359
S.L.M.	212	2,292	6,127	27,074	20,466	34,618	38,862	25,274	3,120	1,151	79	36	-	-	159,311
L.M.	264	730	1,275	8,571	8,937	17,625	14,227	5,217	465	65	-	-	-	-	57,376
Spotted															
All grades	1,089	9,759	13,770	48,053	28,063	30,343	18,233	7,986	1,516	727	107	68	-	-	159,714
Tinged															
All grades	785	11,695	7,712	22,559	7,967	8,699	3,082	1,054	-	56	-	-	-	-	63,609
Yellow Stained															
All grades	37	2,535	857	2,938	439	549	36	41	-	-	-	-	-	-	7,432
Light Gray															
All grades	-	141	1,099	4,269	6,124	11,307	21,978	13,674	1,014	187	48	-	-	-	59,841
Gray															
All grades	-	116	202	2,474	2,122	3,513	1,939	294	41	29	-	-	-	-	10,730
Below Grade															
All grades	1,036	4,407	2,136		4,091	5,460	1,440	342	59	29	-	-	-	-	28,965
All grades	6,203	53,018	132,226	640,933	598,432	732,880	1,546,173	2,829,369	589,523	176,563	63,709	17,602	3,055	2,827	7,392,513
Grade Index.97.9															
Average staple33.0															
1/ As reported by the Bureau of the Census.															

Table 4. Grade and staple of upland cotton in consuming establishments, August 1, 1960

Grade	13/16" & shorter	7/8"	29/32"	15/16"	31/32"	1"	1-1/32"	1-1/16"	1-3/32"	1-1/8"	1-5/32"	1-3/16"	1-7/32"	1-1/4" & longer	All staples
<u>White</u>															
G.M.	-	-	-	-	-	316	1,092	2,206	4,102	5,211	5,071	2,140	525	29	20,692
S.M.	-	-	181	704	1,479	8,641	25,143	93,225	47,497	36,990	24,729	7,594	1,073	892	248,148
M.+	-	-	529	1,057	7,043	4,033	5,485	9,900	8,924	5,486	4,086	816	384	1,420	49,163
M.	74	483	1,092	6,301	8,941	14,574	34,262	133,376	61,087	23,008	7,798	2,287	837	450	294,570
S.L.M.+	-	36	290	2,988	2,918	5,173	13,858	27,481	9,173	2,878	490	110	-	-	65,395
S.L.M.	133	218	2,342	12,705	10,893	25,288	69,901	107,332	31,021	5,546	786	177	-	-	266,342
L.M.+	-	144	1,249	9,216	3,669	6,133	14,477	23,275	3,054	544	88	-	-	-	61,849
L.M.	240	825	817	6,551	5,416	18,805	31,664	31,850	3,728	334	65	29	-	-	100,324
S.G.O.+	-	192	96	170	496	1,148	1,446	923	518	-	-	-	-	-	4,989
S.G.O.	48	36	48	880	3,034	7,836	4,440	1,221	168	59	-	-	-	-	17,770
G.O.+	-	-	-	37	29	66	38	30	-	-	-	-	-	-	200
G.O.	-	-	37	85	341	1,289	114	-	-	-	-	-	-	-	1,866
<u>Light Spotted</u>															
G.W.	-	-	118	184	-	29	124	147	29	201	184	59	-	-	1,075
S.M.	96	101	1,603	3,862	3,736	3,686	5,262	3,310	2,742	2,066	1,090	464	-	-	28,018
M.	332	1,164	2,515	7,621	9,143	11,537	15,186	12,079	3,233	1,334	228	29	-	-	64,401
S.L.M.	96	66	1,066	4,716	5,702	12,641	14,309	12,775	1,544	754	36	-	-	-	53,705
L.W.	228	168	66	3,676	4,562	7,240	5,215	2,310	230	29	-	-	-	-	23,724
<u>Spotted</u>															
All grades . . .	254	1,682	3,228	10,089	6,854	8,621	4,213	2,177	416	231	29	29	-	-	37,823
<u>Tinged</u>															
All grades . . .	250	2,052	1,841	4,831	2,129	2,853	597	360	-	56	-	-	-	-	14,969
<u>Yellow Stained</u>															
All grades . . .	37	398	217	909	129	181	-	-	-	-	-	-	-	-	1,871
<u>Light Gray</u>															
All grades . . .	-	-	213	832	1,293	1,930	3,746	2,557	302	125	48	-	-	-	11,046
<u>Gray</u>															
All grades . . .	-	-	-	139	141	406	426	74	-	29	-	-	-	-	1,215
<u>Below Grade</u>															
All grades	216	853	357	1,843	903	1,828	558	173	59	29	-	-	-	-	6,819
All grades	2,004	8,418	17,905	79,396	78,851	144,254	251,556	466,781	177,827	84,910	44,728	13,734	2,819	2,791	1,375,974 1/

1/ As reported by the Bureau of the Census.

Grade index.95.8
Average staple33.5

Table 5. Grade and staple of upland cotton in public storage and "elsewhere", August 1, 1960

Grade	13/16" & shorter	7/8"	29/32"	15/16"	31/32"	1"	1-1/32"	1-1/16"	1-3/32"	1-1/8"	1-5/32"	1-3/16"	1-7/32"	1-1/4" & longer	All staples
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
<u>Whi's</u>															
G.M.	-	121	414	1,384	914	1,582	2,920	6,843	2,048	2,069	806	202	-	-	19,303
S.M.	219	1,460	8,290	53,883	62,820	82,769	219,130	477,907	93,793	32,995	8,535	1,842	159	36	1,043,838
M.+	36	71	222	3,737	6,194	7,576	17,025	70,907	22,941	5,479	1,265	116	-	-	135,569
M.	223	3,601	20,944	126,940	154,971	180,223	544,221	1,238,238	210,565	33,879	5,500	1,251	39	-	2,520,595
S.L.M.+	36	80	577	6,255	10,278	11,467	34,065	87,023	20,167	3,028	522	40	-	-	173,538
S.L.M.	107	1,559	9,316	56,246	59,793	71,282	196,660	280,304	38,002	5,699	816	113	-	-	719,897
L.M.+	-	39	150	1,885	2,140	5,109	15,085	15,184	1,610	466	41	40	-	-	41,749
L.M.	-	229	917	5,452	6,600	26,609	50,543	32,670	2,376	333	-	40	-	-	125,769
S.G.O.+	-	-	39	427	355	883	1,252	870	-	-	-	-	-	-	3,826
S.G.O.	-	39	126	1,224	2,415	5,473	5,809	1,633	122	45	-	-	-	-	16,886
G.O.+	-	-	36	71	-	45	218	-	-	-	-	-	-	-	370
G.O.	39	156	154	667	283	941	877	238	36	-	-	-	-	-	3,391
<u>Light Spotted</u>															
G.M.	36	78	1,321	3,393	3,972	3,414	2,043	2,294	351	156	-	-	-	-	17,058
S.M.	726	4,742	19,026	84,757	76,684	62,100	73,193	59,681	7,809	4,255	935	78	-	-	393,986
M.	435	5,969	26,599	116,348	75,666	52,739	60,843	55,340	8,212	2,258	440	71	38	-	404,958
S.L.M.	116	2,226	5,061	22,358	14,764	21,977	24,553	12,499	1,576	397	43	36	-	-	105,606
L.M.	36	562	1,209	4,895	4,375	10,385	9,012	2,907	235	36	-	-	-	-	33,652
<u>Spotted</u>															
All grades	835	8,077	10,542	37,964	21,209	21,722	14,020	5,809	1,100	496	78	39	-	-	121,891
<u>Tinged</u>															
All grades	535	9,643	5,871	17,728	5,838	5,846	2,485	694	-	-	-	-	-	-	48,640
<u>Yellow Stained</u>															
All grades	-	2,137	640	2,029	310	368	36	41	-	-	-	-	-	-	5,561
<u>Light Gray</u>															
All grades	-	141	886	3,437	4,831	9,377	18,232	11,117	712	62	-	-	-	-	48,795
<u>Gray</u>															
All grades	-	116	202	2,335	1,981	3,107	1,513	220	41	-	-	-	-	-	9,515
<u>Below Grade</u>															
All grades	820	3,554	1,779	8,122	3,188	3,632	882	169	-	-	-	-	-	-	22,146
All grades	4,199	44,600	114,321	561,537	519,581	588,626	1,294,617	2,362,588	411,696	91,653	18,981	3,868	236	36	6,016,539 1/
Grade index.....98.4 Average staple.....32.9															
1/ As reported by the Bureau of the Census.															

Table 6. Grade and staple of CCC stocks of upland cotton, 1958 and earlier crops, as of July 31, 1960

Grade	13/16" & shorter	7/8"	29/32"	15/16"	31/32"	1"	1-1/32"	1-1/16"	1-3/32"	1-1/8"	1-5/32"	1-3/16"	1-7/32"	1-1/4" & longer	All staples
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
<u>White</u>															
G.M.	-	12	81	337	633	918	1,513	2,483	615	285	281	8	-	1	7,167
S.M.	25	952	7,947	40,565	64,051	64,776	113,084	193,680	18,734	12,644	5,652	365	39	14	522,528
M.+	1	19	271	2,872	5,178	6,151	17,305	63,774	8,278	2,788	427	35	-	-	107,099
M.+	147	2,764	23,516	214,460	240,437	185,192	426,887	949,673	131,543	52,647	15,751	836	109	45	2,244,007
S.L.M.+	4	77	698	3,595	5,815	3,096	3,081	3,218	581	365	165	132	42	24	20,893
S.L.M.	9	43	109	482	70,484	40,144	12,191	7,779	1,619	846	658	238	25	29	134,656
L.M.+	-	-	15	27	90	152	287	158	118	68	37	13	1	6	972
L.M.	-	2	-	16	49	274	227	174	47	69	40	14	6	1	919
S.G.O.+	-	-	-	-	-	-	1	-	2	1	-	1	-	-	5
S.G.O.	-	-	-	-	2	-	6	1	1	5	1	-	-	-	16
G.O.+	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
G.O.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<u>Light Spotted</u>															
All grades . . .	65	636	1,123	8,724	7,732	2,088	951	513	326	195	80	54	2	6	22,495
<u>Spotted</u>															
All grades . . .	12	143	309	2,010	157	163	69	9	7	8	1	-	-	1	2,889
<u>Tinged</u>															
All grades . . .	2	194	329	208	1	-	-	-	-	-	-	-	-	-	734
<u>Yellow Stained</u>															
All grades . . .	1	1	-	-	-	-	-	-	-	-	-	-	-	-	2
<u>Light Gray</u>															
All grades . . .	-	2	10	120	342	108	89	74	34	22	2	3	-	-	806
<u>Gray</u>															
All grades . . .	-	-	3	2	2	2	7	1	4	2	-	-	-	-	23
<u>Below Grade</u>															
All grades . . .	2,881	-	-	-	-	-	-	-	-	-	-	-	-	-	2,881 1/2
All grades	3,147	4,845	34,411	273,418	394,973	303,064	575,698	1,221,538	161,909	69,945	23,095	1,699	224	127	3,068,093

1/ Staple distribution for Below Grade not available.

Grade index.....100.4
Average staple.....32.9

Table 7. Grade and staple of 1959-60 upland cotton acquired by CCC on July 31, 1960

Grade	13/16" & shorter	7/8"	29/32"	15/16"	31/32"	1"	1-1/32"	1-1/16"	1-3/32"	1-1/8"	1-5/32"	1-3/16"	1-7/32"	1-1/4" & longer	All staples
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
<u>White</u>															
G.M.	1	13	63	305	398	329	507	1,048	729	1,831	1,492	85	6	-	6,807
S.M.	50	223	1,895	29,344	29,133	17,320	43,872	157,927	12,611	11,895	9,772	287	11	8	314,348
M.t.	-	2	38	257	576	554	9,757	53,142	9,881	1,094	748	51	-	-	76,100
M.	111	1,104	9,151	64,026	95,061	67,226	145,396	870,966	102,351	10,771	2,478	207	17	31	1,368,896
S.L.M.t.	1	52	506	2,146	3,772	2,420	3,096	11,844	3,302	702	134	13	1	3	27,992
S.L.M.	11	517	4,663	14,643	17,710	6,198	5,319	6,426	1,869	1,238	295	53	7	17	58,966
L.M.t.	-	1	21	149	230	320	660	597	192	29	5	6	3	5	2,218
L.M.	2	3	22	91	216	439	405	271	77	21	4	-	2	-	1,553
S.G.O.t.	-	-	-	-	4	2	6	7	4	-	-	-	-	-	23
S.G.O.	-	-	1	7	14	30	9	6	5	2	-	-	-	-	74
G.O.t.	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1
G.O.	-	-	-	2	6	-	1	-	-	-	-	-	-	-	9
<u>Light Spotted</u>															
All Grades . . .	108	776	5,807	9,440	7,108	4,025	2,755	2,059	853	367	82	15	4	4	33,403
<u>Spotted</u>															
All Grades . . .	23	110	75	264	27	51	32	21	6	3	-	-	-	-	612
<u>Tinged</u>															
All Grades . . .	1	7	4	5	-	1	-	-	-	-	-	-	-	-	18
<u>Light Gray</u>															
All Grades . . .	11	88	794	1,576	742	451	1,004	1,057	163	44	10	1	-	-	5,941
<u>Gray</u>															
All Grades . . .	-	1	18	13	7	13	16	11	-	-	1	-	-	-	80
<u>Below Grade</u>															
All Grades . . .	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4
<u>All Grades</u>															
All Grades	323	2,897	23,058	122,268	155,004	99,380	212,835	1,105,382	132,043	27,997	15,021	718	51	68	1,897,045
															Grade index 100.4
															Average staple 33.3

Table 8. Grade and staple of upland cotton in the supply, 1959-60

Grade	13/16" & shorter	7/8"	29/32"	15/16"	31/32"	1"	1-1/32"	1-1/16"	1-3/32"	1-1/8"	1-5/32"	1-3/16"	1-7/32"	1-1/4" & longer	All staples
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White															
G.M.	47	167	386	1,347	919	1,531	3,877	26,192	10,108	26,322	10,671	562	9	-	82,138
S.M.	1,317	12,213	50,717	119,582	104,674	129,395	335,486	924,900	173,949	208,299	92,340	4,406	457	367	2,158,102
M.+	11	225	596	4,555	5,955	13,697	59,082	384,355	50,942	19,788	10,866	736	25	76	550,909
M.	1,584	21,942	177,549	432,619	386,754	461,481	1,349,766	3,448,931	440,591	167,504	56,915	6,541	966	1,312	6,954,455
S.L.M.+	154	861	4,813	18,406	25,613	34,819	147,131	580,447	80,523	21,508	5,231	633	72	173	920,384
S.L.M.	1,250	31,735	241,187	552,456	391,550	369,458	1,079,641	1,712,449	198,250	41,697	8,202	1,146	429	89	4,629,539
L.M.+	111	2,143	8,900	25,161	27,493	34,606	108,860	172,073	19,033	2,865	537	39	-	21	401,842
L.M.	470	9,160	33,240	109,670	111,965	184,787	376,099	300,337	24,723	2,807	586	73	22	-	1,153,939
S.G.O.+	48	803	1,088	3,145	3,907	6,013	13,308	7,145	567	51	22	10	-	-	36,107
S.G.O.	122	2,323	5,219	23,277	23,937	41,475	44,237	21,422	1,345	189	8	-	-	-	163,554
G.O.+	-	20	31	269	171	291	648	309	9	10	-	-	-	-	1,758
G.O.	89	666	1,362	4,569	3,291	6,366	4,225	1,873	39	-	-	-	-	-	22,480
Light Spotted															
G.M.	36	239	638	1,498	1,320	729	769	936	731	1,129	198	78	-	-	8,301
S.M.	3,015	28,205	123,948	224,340	123,682	78,884	110,819	73,205	13,111	7,939	2,386	543	110	196	790,383
M.	6,718	87,200	361,201	619,158	319,254	173,502	257,257	151,381	24,511	6,239	1,789	187	114	125	2,008,636
S.L.M.	4,423	78,234	212,156	335,218	166,433	146,546	184,223	80,733	8,519	1,194	190	117	34	71	1,218,091
L.M.	2,553	64,096	79,825	135,833	80,182	88,959	68,963	19,150	1,125	275	87	-	-	-	541,048
Spotted															
G.M.	-	-	105	34	212	216	259	136	65	507	55	-	-	-	1,589
S.M.	818	4,048	11,002	14,034	6,381	4,927	7,048	3,029	1,019	1,595	440	-	-	-	54,341
M.	2,919	27,121	53,986	46,285	15,084	15,087	15,738	7,096	1,075	503	55	42	-	36	184,927
S.L.M.	6,535	104,787	109,272	79,419	18,941	24,496	17,445	5,796	577	142	45	42	34	-	367,531
L.M.	5,254	68,526	36,121	43,512	18,071	26,999	14,678	3,324	146	43	-	-	-	-	216,674
Tinged															
All grades . . .	18,386	115,510	69,696	44,473	13,000	14,805	8,195	1,823	208	127	-	-	-	-	286,223
Yellow Stained															
All grades . . .	4,804	18,653	4,755	2,321	789	727	166	79	-	-	-	-	-	-	32,294
Light Gray															
All grades . . .	228	2,340	6,493	17,660	18,690	34,421	83,188	52,806	3,708	1,446	177	-	-	75	221,232
Gray															
All grades . . .	76	669	1,862	4,836	4,043	6,621	13,558	16,291	646	11	9	-	-	-	48,622
Below Grade															
All grades . . .	9,553	29,690	13,042	28,201	12,763	11,737	3,423	943	11	11	34	-	-	-	109,408
All grades	70,521	711,576	1,609,090	2,891,878	1,885,074	1,912,575	4,308,089	7,997,161	1,055,531	512,201	190,843	15,155	2,272	2,541	23,164,507 1/

1/ As reported by the Bureau of the Census.

Grade index95.5
Average staple32.5

Table 9. Staple of foreign growth cotton in the carry-over
August 1, 1954-60

Growth and length (inches)	1954	1955	1956	1957	1958	1959	1960
	Bales 1/	Bales 1/	Bales 1/	Bales 1/	Bales 1/	Bales 1/	Bales 1/
<u>Egyptian:</u>							
1-3/32 and shorter	-	-	38	-	-	-	-
1-1/8 and 1-5/32	92	139	-	87	-	-	-
1-3/16 and 1-7/32	50	224	226	562	64	1,229	-
1-1/4 to 1-11/32	704	1,259	1,580	12	509	-	567
1-3/8 to 1-15/32	42,052	13,461	7,618	8,634	6,764	15,813	15,395
1-1/2 to 1-19/32	9,979	14,470	4,437	6,690	657	561	94
1-5/8 to 1-23/32	-	1,394	310	459	-	-	-
1-3/4 and longer	-	-	-	-	-	-	-
All lengths	52,877	30,947	14,209	16,444	7,994	17,603	16,056
<u>Peruvian:</u>							
1-1/8 and 1-5/32	-	-	2	3	-	-	-
1-3/16 and 1-7/32	45	46	256	256	-	548	100
1-1/4 to 1-11/32	-	-	-	8	103	-	-
1-3/8 to 1-15/32	67	143	2,543	3	398	1,081	-
1-1/2 to 1-19/32	485	3,456	1,080	2,904	990	1,031	835
1-5/8 to 1-23/32	1,595	1,644	2,177	1,137	1,528	3,534	1,191
1-3/4 and longer	-	-	1,070	-	609	-	-
All lengths	2,192	5,289	7,128	4,311	3,628	6,194	2,126
<u>Indian:</u>							
13/16 and shorter	19,197	21,796	17,299	13,756	16,808	13,253	12,866
<u>Other Foreign:</u>							
13/16 and shorter	23	4	-	32	-	-	-
7/8 and 29/32	-	2,843	42	-	-	-	-
15/16 and 31/32	-	2,960	59	-	177	-	435
1 and 1-1/32	-	1	84	689	1,998	130	652
1-1/16 and 1-3/32	-	618	40	369	3,156	423	1,522
1-1/8 and 1-5/32	-	-	-	50	1,031	181	-
1-3/16 and 1-7/32	251	-	-	1,295	37	757	-
1-1/4 and longer	622	943	36	2,042	56	26	-
All lengths	896	7,369	261	4,477	6,455	1,517	2,609
All Foreign 2/	75,162	65,401	38,568	38,988	34,885	38,567	33,657

1/ Quantities are in equivalent 500-pound bales.

2/ As reported by the Bureau of the Census.

Table 10. Grade and staple of American-Egyptian cotton in the carry-over,
August 1, 1960 ^{1/}

Grade	1-11/32" and shorter	1-3/8" and 1-13/32"	1-7/16" and 1-15/32"	1-1/2" and 1-17/32"	1-9/16" and longer	Total
	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>
1	-	-	2,653	303	493	3,449
2	-	2,009	21,072	1,781	-	24,862
3	379	21,224	34,072	1,137	-	56,812
4	455	19,327	11,825	872	76	32,555
5	303	5,761	1,857	227	-	8,148
6	114	1,932	531	-	-	2,577
7	76	2,084	114	-	-	2,274
8	-	644	-	-	-	644
9	114	341	-	-	-	455
10	833	493	-	-	-	1,326
Total	2,274	53,815	72,124	4,320	569	133,102
Percent	1.7	40.4	54.3	3.2	.4	100.0

^{1/} Includes approximately 700 bales of Sealand and Sea Island cotton.

